



Control4® 8-Port Ethernet Switch

Control4® 8-Port Ethernet Switch (DIN Rail) C4-DIN-8ESW-E

The Control4® 8-Port Ethernet Switch is a standard 8-port 10/100 switch that allows a single Ethernet CAT5e cable to be pulled into a lighting panel, and then distributed to up to seven (7) other Control4® panelized lighting devices including Dimmer, Relay, and Bus Ethernet Bridge Modules within the panel.

- Distributes an Ethernet connection up to seven (7) other Control4 panelized lighting devices
- Link/Activity LEDs indicate system link status and communication activity
- Power LED for power status
- Reset button for rebooting the Ethernet switch without removing power
- Line input for power
- Can be installed in either a Control4® 5 or 2-slot panel or a third-party DIN rail panel

Control4® 8-Port Ethernet Switch (DIN Rail)

Model Number	C4-DIN-8ESW-E
Power Requirements	110V-277VAc, 50/60 Hz
Operating Temperature	32°F to 104°F (0°C to 40°C)
Power Consumption	2W
Communications	10/100 Ethernet
Connectors	Three (3) Screw Terminals (Line, Neutral, Ground) One (1) 26AWG to 12AWG (.12 - 4mm ²) per terminal Eight (8) RJ-45 Ethernet
Humidity	5% - 95% Non-condensing
Storage	-4° F - 158° F (-20° C - 70° C)
Dimensions (H×W×D)	8.5" × 4.3" × 2.3" (215 mm × 109 mm × 57 mm)
DIN Module Width	12M
Weight	2.3 lbs. (1.04 kg)
Shipping Weight	2.8 lbs. (1.27 kg)

